(12) INTERNATIONAL AND CATION PUBLISHED UNDER THE PATENT COMPARATION TREATY (PCT)

## (19) World Intellectual Property Organization International Bureau



### | COLOR | COLO

### (43) International Publication Date 13 November 2003 (13.11.2003)

### **PCT**

# (10) International Publication Number WO 03/093480 A2

(51) International Patent Classification7:

C12N 15/65

(21) International Application Number: PCT/CA03/00621

(22) International Filing Date: 2 May 2003 (02.05.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/376,879 60/377,231 2 May 2002 (02.05.2002) US 3 May 2002 (03.05.2002) US

(71) Applicants and

WO 03/093480 A2

- (72) Inventors: BELSHAM, Denise [CA/CA]; 190 Clendenan Avenue, Toronto, Ontario M6P 2X2 (CA). LOVE-JOY, David [CA/CA]; 149 Baker Street, Stouffville, Ontario L4A 1K6 (CA).
- (74) Agent: BERESKIN & PARR; 40 King Street West, 40th Floor, Toronto, Ontario M5H 3Y2 (CA).


- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Published:


 without international search report and to be republished upon receipt of that report

[Continued on next page]

### (54) Title: IMMORTALIZED HYPOTHALAMIC NEURONAL CELL LINES



### NPY 5' Regulatory Region in NPY-17 Neurons



(57) Abstract: The present invention is directed to a method of preparing cell lines of hypothalamic The method involves origin. infecting fetal hypothalamic cells with a retroviral vector harbouring a viral oncogene, preferably SV-40 large T antigen, followed by selection and cloning. A plurality of cell lines have been prepared which express a variety of neuronal The cell lines of the markers. present invention are useful in the development of experimental models and in the treatment of disease.

BEST AVAILABLE COPY



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.